

## SAFETY DATA SHEET

Preparation Date: 3/19/2014

Revision Date: 9/22/2016

Revision Number: G3

### 1. IDENTIFICATION

**Product identifier**

**Product code:** YY1005  
**Product Name:** SODIUM HYDROXIDE, PELLETS, NF

**Other means of identification**

**Synonyms:** Caustic Soda  
 Soda Lye  
**CAS #:** 1310-73-2  
**RTECS #** WB4900000  
**CI#:** Not available

**Recommended use of the chemical and restrictions on use**

**Recommended use:** No information available.  
**Uses advised against** No information available

**Supplier:** Spectrum Chemical Mfg. Corp  
 14422 South San Pedro St.  
 Gardena, CA 90248  
 (310) 516-8000.

**Order Online At:** <https://www.spectrumchemical.com>

**Emergency telephone number** Chemtrec 1-800-424-9300

**Contact Person:** Martin LaBenz (West Coast)

**Contact Person:** Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

**Classification**

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

**Label elements**

**Danger**

**Hazard statements**

Causes severe skin burns and eye damage  
 Harmful in contact with skin  
 May be corrosive to metals



**Hazards not otherwise classified (HNOC)**

Not Applicable

**Other hazards**

Not available

**Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Keep only in original container

**Precautionary Statements - Response**

*Specific measures (see .? on this label)*  
*Immediately call a POISON CENTER or doctor/physician*  
*Specific treatment (see .? on this label)*  
Absorb spillage to prevent material damage  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
Call a POISON CENTER or doctor/physician if you feel unwell  
Wash contaminated clothing before reuse  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
Store in corrosive resistant/ .? container with a resistant inner liner

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS-No.	Weight %
Sodium Hydroxide	1310-73-2	100

**4. FIRST AID MEASURES**

**First aid measures**

**General Advice:**

National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s)

**Product code:** YY1005

**Product name:** SODIUM HYDROXIDE, PELLETS, NF

involved and take precautions to protect themselves. First aider needs to protect himself.

**Skin Contact:** Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.

**Eye Contact:** Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Center immediately.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Severe skin and eye irritation or burns. Causes digestive (gastrointestinal) tract irritation. May cause gastrointestinal (digestive) tract burns. May cause abdominal pain, nausea, vomiting, diarrhea.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician:** Treat symptomatically.

**Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing Media**

**Suitable Extinguishing Media:** The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

**Unsuitable Extinguishing Media:** No information available.

**Specific hazards arising from the chemical**

**Hazardous Combustion Products:** Sodium oxides

**Hazardous Combustion Products:** No information available.

**Specific hazards:** No information available.

**Special Protective Actions for Firefighters**

**Specific Methods:** No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

**Methods for cleaning up** Use appropriate tools to put the spilled solid in a suitable waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Technical Measures/Precautions:**

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

**Safe Handling Advice**

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors/dust. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

**Incompatible Materials:**

Oxidizing agents  
Reducing agents  
Acids  
Bases  
Aldehydes  
Metals  
Powdered metals  
Water

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### National occupational exposure limits

##### United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Sodium Hydroxide	1310-73-2	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	None

## Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Sodium Hydroxide	1310-73-2	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling

## Australia and Mexico

Components	CAS-No.	Australia	Mexico
Sodium Hydroxide	1310-73-2	None	2 mg/m <sup>3</sup> Ceiling

### Appropriate engineering controls

#### Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Individual protection measures, such as personal protective equipment

#### Personal Protective Equipment

**Eye protection:** Face-shield

**Skin and body protection:** Chemical resistant protective suit. Gloves. Boots.

**Respiratory protection:** Wear respirator with dust filter.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical state:

Solid

#### Appearance:

Pellets. Flakes.

#### Color:

White.

#### Odor:

No information available.

#### Taste

No information available.

#### Formula:

NaOH

#### Molecular/Formula weight:

40

#### Flammability:

No information available

#### Flashpoint (°C/°F):

No information available.

#### Flash Point Tested according to:

Not available

#### Autoignition Temperature (°C/°F):

No information available

#### Lower Explosion Limit (%):

No information available

#### Upper Explosion Limit (%):

No information available

#### Melting point/range(°C/°F):

323 °C/613.4 °F

#### Decomposition temperature(°C/°F):

No information available

#### Boiling point/range(°C/°F):

1388 °C/2530.4 °F

#### Bulk density:

No information available

#### Density (g/cm<sup>3</sup>):

No information available

#### Specific gravity:

2.13

#### pH:

No information available

#### Vapor pressure @ 20°C (kPa):

No information available

#### Evaporation rate:

Product code: YY1005

Product name: SODIUM  
HYDROXIDE, PELLETS, NF

5 / 12

No information available

**Vapor density:**  
No information available

**VOC content (g/L):**  
No information available

**Odor threshold (ppm):**  
No information available

**Partition coefficient  
(n-octanol/water):**  
No information available

**Viscosity:**  
No information available

**Miscibility:**  
No information available

**Solubility:**  
Freely soluble in water

## 10. STABILITY AND REACTIVITY

### Reactivity

Sodium hydroxide + zinc metal dust causes ignition of the latter.

Under proper conditions of temperature, pressure and state of division, it can ignite or react violently with acetaldehyde, allyl alcohol, allyl chloride, benzene-1,4-diol, chlorine trifluoride, 1,2 dichloroethylene, nitroethane, nitromethane, nitroparaffins, nitropropane, cinnamaldehyde, 2,2-dichloro-3,3-dimethylbutane.

Sodium hydroxide in contact with water may generate enough heat to ignite adjacent combustible materials.

Phosphorous boiled with NaOH yields mixed phosphines which may ignite spontaneously in air.

sodium hydroxide and cinnamaldehyde + heat may cause ignition.

Reaction with certain metals releases flammable and explosive hydrogen gas.

Sodium hydroxide reacts to form explosive products with ammonia + silver nitrate.

Benzene extract of allyl benzenesulfonate prepared from allyl alcohol, and benzene sulfonyl chloride in presence of aqueous sodium hydroxide, under vacuum distillation, residue darkened and exploded.

Sodium Hydroxide + impure tetrahydrofuran, which can contain peroxides, can cause serious explosions.

Dry mixtures of sodium hydroxide and sodium tetrahydroborate liberate hydrogen explosively at 230-270 deg. C.

Sodium Hydroxide reacts with sodium salt of trichlorophenol + methyl alcohol + trichlorobenzene + heat to cause an explosion.

Hygroscopic. Much heat is evolved when solid material is dissolved in water. Therefore cold water and caution must be used for this process.

Generates considerable heat when a sodium hydroxide solution is mixed with an acid

Sodium hydroxide solution and octanol + diborane during a work-up of a reaction mixture of oxime and diborane in tetrahydrofuran is very exothermic, a mild explosion being noted on one occasion.

Reactive with water, acids (mineral, non-oxidizing, e.g. hydrochloric, hydrofluoric acid, muriatic acid, phosphoric), acids (mineral, oxidizing e.g. chromic acid, hypochlorous acid, nitric acid, sulfuric acid), acids (organic e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid), aldehydes (e.g. acetaldehyde, acrolein, chloral hydrate, formaldehyde), carbamates (e.g. carbanolate, carbofuran), esters (e.g. butyl acetate, ethyl acetate, propyl formate), halogenated organics (dibromoethane, hexachlorobenzene, methyl chloride, trichloroethylene), isocyanates (e.g. methyl isocyanate), ketones (acetone, acetophenone, MEK, MIBK), acid chlorides, strong bases, strong oxidizing agents, strong reducing agents, flammable liquids, powdered metals and metals (i.e. aluminum, tin, zinc, hafnium, raney nickel), metals (alkali and alkaline e.g. cesium, potassium, sodium), metal compounds (toxic e.g. beryllium, lead acetate, nickel carbonyl, tetraethyl lead), nitrides (e.g. potassium nitride, sodium nitride), nitriles (e.g. acetonitrile, methyl cyanide), nitro compounds (organic e.g. nitrobenzene, nitromethane), acetic anhydride, hydroquinone, chlorohydrin, chlorosulfonic acid, ethylene cyanohydrin, glyoxal, hydrosulfuric acid, oleum, propiolactone, acylonitrile, phosphorous pentoxide, chloroethanol, chloroform-methanol, tetrahydroborate, cyanogen azide, 1,2,4,5 tetrachlorobenzene, cinnamaldehyde. Reacts with formaldehyde hydroxide to yield formic acid, and hydrogen.

### Chemical stability

**Stability:** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur

**Conditions to avoid:** Exposure to moisture. Exposure to water. Incompatible materials.

**Incompatible Materials:**  
Oxidizing agents  
Reducing agents  
Acids  
Bases  
Aldehydes  
Metals  
Powdered metals  
Water

**Hazardous decomposition products:** Sodium oxides.

**Other Information Corrosivity:** No information available

**Special Remarks on Corrosivity:** Very caustic to aluminum and other metals in the presence of moisture

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Principal Routes of Exposure:**  
Skin. Inhalation. Ingestion.

### Acute Toxicity

### Component Information

Sodium Hydroxide	
CAS-No.	1310-73-2

**LD50/oral/rat** = No information available  
**LD50/oral/mouse** = No information available  
**LD50/dermal/rabbit** = 1350 mg/kg Dermal LD50Rabbit  
**LD50/dermal/rat** = No information available  
**LC50/inhalation/rat** = No information available  
**LC50/inhalation/mouse** = No information available  
**Other LD50 or LC50information** = 500 mg/kg Oral LDL(Lowest Lethal Dose) Rabbit

### Product Information

**LD50/oral/rat** =  
**VALUE- Acute Tox Oral** = No information available

**LD50/oral/mouse** =  
**Value - Acute Tox Oral** = No information available

**LD50/dermal/rabbit**  
**VALUE-Acute Tox Dermal** = 1350 mg/kg

**LD50/dermal/rat**  
**VALUE -Acute Tox Dermal** = No information available

**LC50/inhalation/rat**  
**VALUE-Vapor** = No information available  
**VALUE-Gas** = No information available  
**VALUE-Dust/Mist** = No information available

**LC50/Inhalation/mouse**  
**VALUE-Vapor** = No information available  
**VALUE - Gas** = No information available  
**VALUE - Dust/Mist** = No information available

### Symptoms

**Skin Contact:** Severe skin irritation. Causes skin burns. May cause deep penetrating ulcers of

the skin. Harmful in contact with skin.

**Eye Contact:** Severe eye irritation. Causes eye burns. May cause corneal damage.

**Inhalation** Causes severe irritation of the respiratory tract and mucous membranes with coughing, burns, breathing difficulty, and possible coma. Irritation may lead to chemical pneumonitis, pneumoconiosis, fibrosis, and pulmonary edema. Can cause chemical burns to the respiratory tract and mucous membranes. It is a respiratory stimulant when inhaled at lower concentrations. It may also affect behavior/central nervous system (convulsions, seizures, ataxia, tremor), cardiovascular system (increase in blood pressure and pulse rate).

**Ingestion** Causes severe gastrointestinal tract irritation and burns. Causes severe pain, nausea, vomiting, diarrhea, and shock. May cause severe and permanent damage to the digestive tract. May cause perforation of the digestive tract. May cause corrosion and permanent destruction of the esophagus.

**Aspiration hazard** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Chronic Toxicity** No information available.

**Sensitization:** No information available.

**Mutagenic Effects:** No information available

**Carcinogenic effects:** Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Sodium Hydroxide	1310-73-2	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*IARC (International Agency for Research on Cancer)*

*NTP (National Toxicology Program)*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

**Reproductive toxicity** No data is available

**Reproductive Effects:** No information available

**Developmental Effects:** No information available

**Teratogenic Effects:** No information available

**Specific Target Organ Toxicity**

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target Organs:** Skin. Eyes. Respiratory system.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**



**Ecotoxicity effects:** Aquatic environment.

*Sodium Hydroxide - 1310-73-2*

**Freshwater Fish Species Data:** 45.4 mg/L LC50 Oncorhynchus mykiss 96 h static 1  
189 mg/L LC50 Leuciscus idus 48h

**Water Flea Data:** 40.4 mg/L EC50 Ceriodaphnia sp. 48h

**Persistence and degradability:** No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods

**Waste from residues / unused products:**  
Waste must be disposed of in accordance with Federal, State and Local regulation.

**Contaminated packaging:**  
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sodium Hydroxide	1310-73-2	None	None	None	None

### 14. TRANSPORT INFORMATION

#### DOT

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Class:** No information available  
**Packing group:** II  
**Emergency Response Guide Number:** 154  
**Marine Pollutant:** No data available  
**DOT RQ (lbs):** No information available  
**Special Provisions:** IB8, IP2, IP4, T3, TP33  
**Symbol(s):** No information available  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

#### TDG (Canada)

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Risk:** No information available  
**Packing Group:** II  
**Marine Pollutant:** No Information available  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

#### ADR

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Packing Group:** II

**Product code:** YY1005

**Product name:** SODIUM HYDROXIDE, PELLETS, NF

9 / 12

**Subsidiary Risk:** No information available  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

**IMO / IMDG**

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Risk:** No information available  
**Packing Group:** II  
**Marine Pollutant** No information available  
**EMS:** F-A  
**Description** UN1823, Sodium hydroxide, solid, 8, II

**RID**

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Risk:** No information available  
**Packing Group:** II  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

**ICAO**

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Risk:** No information available  
**Packing Group:** II  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

**IATA**

**UN-No:** UN1823  
**Proper Shipping Name:** Sodium hydroxide, solid  
**Hazard Class:** 8  
**Subsidiary Risk:** No information available  
**Packing Group:** II  
**ERG Code:** 8L  
**Special Provisions** No information available  
**Description:** UN1823, Sodium hydroxide, solid, 8, II

**15. REGULATORY INFORMATION**

**International Inventories**

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Sodium Hydroxide	1310-73-2	Present	Present KE-31487	Present	Present (2)-1972 (1)-410	Present	Present	Present 215-185-5

**U.S. Regulations**

*Sodium Hydroxide*

- Massachusetts RTK: Present
- New Jersey RTK Hazardous Substance List: 1706
- New Jersey - Discharge Prevention - List of Hazardous Substances: Present
- Pennsylvania RTK: Environmental hazard
- Pennsylvania RTK - Environmental Hazard List Present
- Minnesota - Hazardous Substance List: Present
- New York Release Reporting - List of Hazardous Substances:

1000 lb RQ  
 100 lb RQ  
**Louisiana Reportable Quantity List for Pollutants:** 1000lbfinal RQ  
 454kgfinal RQ

**California Directors List of Hazardous Substances:** Present

**FDA - Food Additives Generally Recognized as Safe (GRAS):** 21 CFR 184.1763

**FDA - Direct Food Additives** 21 CFR 173.310

**FDA - 21 CFR - Total Food Additives** 155.191 155.194 163.110 163.111 163.112 172.560 172.814 172.892 173.310  
 176.170 176.180 176.210 177.1600 177.2800 184.1763 73.85

**California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.**

**Chemicals Known to the State of California to Cause Cancer:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

**Chemicals Known to the State of California to Cause Reproductive Toxicity:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Sodium Hydroxide	1310-73-2	Not Listed	Not Listed	Not Listed	Not Listed

**CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Sodium Hydroxide	1310-73-2	1000 lb final RQ 454 kg final RQ	None	None	None	None

**U.S. TSCA**

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Sodium Hydroxide	1310-73-2	Not Applicable	Not Applicable

**Canada**

**WHMIS hazard class:**

E Corrosive material

**Components**

Sodium Hydroxide

**WHIMHAZ**

E including 0.04% in aqueous solution, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10%, 16%, 20%, 40%, 50% in aqueous solution, 8.7N

**Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Sodium Hydroxide	1 %

**Inventory**

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Sodium Hydroxide	1310-73-2	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Sodium Hydroxide	1310-73-2	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting

Sodium Hydroxide	1310-73-2	Not listed
------------------	-----------	------------

**EU Classification**

**R-phrases(s)**

R35 - Causes severe burns.

**S -phrase(s)**

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

S37/39 - Wear suitable gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Sodium Hydroxide	1310-73-2	C; R35	5%<=C: C; R:35 2%<=C<5%: C; R:34 0.5%<=C<2%: Xi; R:36/38	S1/2 S26 S37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

**Indication of danger:**

C - Corrosive.



**16. OTHER INFORMATION**

**Preparation Date:** 3/19/2014  
**Revision Date:** 9/22/2016  
**Prepared by:** Roumann Pangilinan

**Disclaimer:**

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**